


Power Window Kit

Window Closer & Window Controller



User Manual

Product Model:

GS

SJ

1. Parameters

Working voltage	DC 10V-16V
Static current	< 1mA
Working temperature	-40°C - 85°C
Maximal output current	15A
Stall response time	0.1S

2. Functions

Model	Functions
SJ	1-6
GS	2 only



1. One Touch Up/Down

At ON status, hold Up or Down button within 0.4 second to trigger the function.

During the scrolling, another Up/Down action can trigger to stop.

Note: The function can only be realized for one window each time.



2. Auto Window-Up

At OFF status, lock the car to trigger the function (close automatically one by one).

Remote key Lock/Unlock can trigger to stop during up.



3. Remote Window-Down

Remote key Unlock-Unlock-Lock will trigger the function (fall automatically one by one).

Remote key Lock/Unlock can trigger to stop during down.



4. Remote Gap

Remote key Unlock-Lock-Lock/UnLock-Lock-Unlock-Lock will trigger the function.

The windows will gap one by one for 0.5 second (approx 3 cm).



5. Continue Window-Up

After Window-Up/Down stops or gaps, remote key Lock will trigger window-up again.

Note: Partial vehicles need to remote unlock first, then remote lock.



6. Continue Window-Down or Gap

Before dropping to the end, the “Remote Window-Down” and “Remote Gap” can be handled for multiple times.

*Note: All above series-operation must be finished within 5 seconds.

3. Stall Protection

The device adopts advanced current-detect technology. During windows rise up, it automatically stops to avoid burning motor if meet block or reach top.

*Note: Frequent operations may trigger overload protection. If the power window dose not work, please try again 5 minutes later.

4. Packing List

Main unit x1, Main cable x1, User manual x1

5. Safety Caution

The driver must follow the following instructions to avoid dangers and injuries.

- 1) To avoid pinching injury or other accident, please do not put hand, head or other things over the window when leaving the vehicle.
- 2) To protect children from pinching injury or other accident by triggering the window closer, please do not leave them alone inside the vehicle.

Manufacturer: Chongqing Fuzik Science & Technology Development Co., Ltd.
Address: Fuzik Building, Jieshi, Banan, Chongqing, China - 401346
TEL: +86-23-63062367
FAX: +86-23-63062280